



DECLARATION OF PERFORMANCE

No. 1343-CPR-M500-17_07.14

1. Unique identification code of the product type:

Injection system for use in concrete HY-200-A-R

2. Intended use/es:

Product	Intended use
	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Corporation Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document ETAG 001, Part Part 5 (Edition 04-2013) Used as an EAD

European Technical Assessment: ETA-15/0419 (11.03.2016)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 1343 – MPA Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex C1-C4, ETA-15/0419
Characteristic resistance for seismic performance category C1, displacements	See Annex C5-C6, ETA-15/0419
Characteristic resistance for seismic performance category C2, displacements	See Annex C7-C8, ETA-15/0419

Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorages satisfy requirements for class A1
Resistance to fire	No performance determinded

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsability of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Edward-Luis Przybylowicz

Business Unit Head Business Unit Anchor **Gunnar Wald**

Head of Quality

Business Unit Anchor





DECLARATION OF PERFORMANCE

No. 1343-CPR-M500-12-07.14

1. Unique identification code of the product type:

Injection system for use in concrete HY-200-A-R

2. Intended use/es:

Product	Intended use
	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Corporation Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document ETAG 001, Part Part 5 (Edition 04-2013) Used as an EAD

European Technical Assessment: ETA-15/0296 (27.08.2015)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 1343 – MPA Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex C1-C4, ETA-15/0296
Characteristic resistance for seismic performance category C1, displacements	See Annex C5, ETA-15/0296
Characteristic resistance for seismic performance category C2, displacements	See Annex C6, ETA-15/0296

Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorages satisfy requirements for class A1
Resistance to fire	No performance determinded

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsability of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Edward-Luis Przybylowicz

Business Unit Head

Business Unit Anchor

Gunnar Wald

Head of Quality

Business Unit Anchor





DECLARATION OF PERFORMANCE

No. 1343-CPR-M500-16_07.14

1. Unique identification code of the product type:

Injection system for use in concrete HY-200-A-R

2. Intended use/es:

Product	Intended use
	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Corporation Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document ETAG 001, Part Part 5 (Edition 04-2013) Used as an EAD

European Technical Assessment: ETA-15/0195 (12.11.2015)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 1343 – MPA Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex C1-C8, ETA-15/0195
Characteristic resistance for seismic performance category C1, displacements	See Annex C9-C10, ETA-15/0195

Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorages satisfy requirements for class A1
Resistance to fire	No performance determinded

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsability of the manufacturer identified above

Gunnar Wald

Head of Quality

Signed for and on behalf of the manufacturer by:

Edward-Luis Przybylowicz

Business Unit Head

Business Unit Anchor Business Unit Anchor