

DECLARATION OF PERFORMANCE

No. 0672-CPR-0361

1. Unique identification code of the product type:

Screw anchor Hilti HUS3 and HUS

2. Intended use/es:

Product	Intended use
Metal anchors for use in concrete	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Corporation Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP:

System 1

5. European Assessment Document

EAD 330232-00-0601 (10-2016) and 330011-00-0601 (03-2015)

European Technical Assessment:

ETA-13/1038 (27/04/2018)

Technical Assessment Body:

DIBt – Deutsches Institut für Bautechnik

Notified body/ies:

0672 – MPA Stuttgart

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex C1, C2 and C3
Characteristic resistance for seismic performance category C1, displacements	See Annex C4
Characteristic resistance for seismic performance category C2, displacements	See Annex C5
Reaction to fire	See Annex C6, C7 and C8
Displacements	See Annex C9 and C10

Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorage satisfy requirements for class A1

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Edward-Luis Przybyłowicz

Business Unit Head

Business Unit Anchor

Gunnar Wald

Head of Quality

Business Unit Anchor

DECLARATION OF PERFORMANCE

No. 0672-CPR-0203

1. Unique identification code of the product type:

Screw anchor Hilti HUS3 and HUS

2. Intended use/es:

Product	Intended use
Metal anchors for use in concrete	For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units.

3. Manufacturer:

Hilti Corporation Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP:

System 1

5. European Assessment Document

EAD 330232-00-0601

European Technical Assessment:

[ETA-08/0307 \(23.08.2018\)](#)

Technical Assessment Body:

DIBt – Deutsches Institut für Bautechnik

Notified body/ies:

0672 – MPA Stuttgart

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex C1
Characteristic resistance for seismic performance category C1, displacements	See Annex C2
Resistance to fire	See Annex C3
Displacements	See Annex C4

Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorage satisfy requirements for class A1

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Edward-Luis Przybyłowicz

Business Unit Head

Business Unit Anchor

Gunnar Wald

Head of Quality

Business Unit Anchor

DECLARATION OF PERFORMANCE

No. 0672-CPR-0235

1. Unique identification code of the product type:

Screw anchor Hilti HUS3 and HUS

2. Intended use/es:

Product	Intended use
Metal anchors for use in concrete	For fixing and/or supporting to concrete, non-structural elements

3. Manufacturer:

Hilti Corporation Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP:

System 2+

5. European Assessment Document

EAD 330747-00-0601

European Technical Assessment:

[ETA-10/0005 \(12.11.2018\)](#)

Technical Assessment Body:

DIBt – Deutsches Institut für Bautechnik

Notified body/ies:

0672 – MPA Stuttgart

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static loads, displacements	See Annex C1 and C2, ETA-10/005
Resistance to fire	See Annex C3, ETA-10/005

Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorage satisfy requirements for class A1

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:

Edward-Luis Przybyłowicz

Business Unit Head

Business Unit Anchor

Gunnar Wald

Head of Quality

Business Unit Anchor